



# NADIR® UP020 P

## Ultrafiltration Membrane

NADIR® UP020 is a 20,000 Dalton molecular weight cut off (M.W.C.O.) polyethersulfone ultrafiltration membrane that is used in many different applications ranging from food and dairy process applications to industrial water purification. UP020 membrane sheet is available in dry flat sheet rolls and is FDA compliant.

### Membrane Characteristics

Membrane Chemistry	Backing Material	Nominal M.W.C.O (Da)	Thickness (µm)
Polyethersulfone (PES)	Polypropylene	20,000	210 - 250

Permeability LMH/bar (GFD/psi) <sup>a</sup>	PVP K30 Retention (%) <sup>b</sup>	pH Range	Chlorine Tolerance <sup>c</sup>
≥ 70.0 (≥ 2.8)	82.0 – 92.0	0.0 – 14.0	200 ppm (sanitization) at pH ≥ 10.5

a Test conditions: Clean water, 4 bar (58 psi), 20°C (68°F), crossflow operation. Membrane specifications may change without notice as design revisions occur.

b Test conditions: 2% PVP K30, 4 bar (58 psi), 20°C (68°F), crossflow operation.

c For daily short term cleaning: maximum 50°C (125°F), 30 min.

### Important Information

**Standard Sizes:** NADIR flat sheet membrane is available in an A4 sample size of 210 mm x 297 mm (8.27 in x 11.69 in) and in a nominal roll size of 150 m x 1016 mm (492 ft x 40.0 in). Custom lengths may be available on request.

**Initial Flush:** MICRODYN-NADIR recommends flushing membrane for 30 minutes and discarding permeate during the flush prior to operation.

**Storage:** Membrane shipped dry should be stored away from direct sunlight in a cool, dry place. Please see *Membrane Storage Guide – Flat Sheet Membrane* (TSG-O-011).

## Solving Unmet Needs with Customized Products



Headquarters  
MICRODYN-NADIR GmbH  
Building D512  
Kasteler Straße 45  
65203 Wiesbaden  
Germany  
info@microdyn-nadir.de  
www.microdyn-nadir.de

USA Office  
MICRODYN-NADIR US, Inc.  
93 South La Patera Lane  
Goleta, CA 93117  
USA  
info@microdyn-nadir.com  
www.microdyn-nadir.com/en  
www.microdyn-nadir.com/trisep

China Office  
MICRODYN-NADIR (Xiamen) Co. Ltd.  
No. 66 Jinting North Road Xinglin  
Xiamen, China 361022  
infochina@microdyn-nadir.com

Singapore Office  
MICRODYN-NADIR Singapore Pte. Ltd.  
18 Tuas Avenue 8  
639233 Singapore  
info@microdyn-nadir.com