

# Safety Data Sheet

## TriClean™ 211

Issue Date: 01-Jul-2019

### 1. Product and Company Identification

- 1.1 Product Name:** TriClean 211
- 1.2 Intended Product Use:** Reverse Osmosis Membrane Cleaner
- 1.3 Details of the SDS Supplier**  
MICRODYN-NADIR US, Inc.  
93 South La Patera Lane, Goleta, California 93117, USA  
Phone: +1 805-964-8003 Fax: +1 805-964-1235
- 1.4 Emergency Telephone Numbers**  
+1 877-741-1029 (USA)  
+1 760-602-6096 (International)

### 2. Hazards Identification

- 2.1 Classification of the Substance or Mixture:**  
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)  
Eye Irritation Category 2A, Hazardous to the Aquatic Environment Category 3

**2.2 GHS Label Elements and Precautionary Statements**

Signal Word:

Warning

Pictogram(s):



Hazard Code(s):

H319

H402

Hazard Statement(s):

Causes serious eye irritation.

Harmful to aquatic life.

Precaution Code(s)

P264

P273

P280

Precautionary Statement(s)

Wash skin thoroughly after handling.

Avoid release to the environment.

Wear eye protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

### 2.3 Hazards not covered by GHS

None.

## 3. Composition/Information on Ingredients

### 3.1 Substances

Component	CAS Number	Concentration
Polyethylene Glycol Octylphenyl Ether	9036-19-5	10 wt%
Polyethylene Oxide	25322-68-3	< 1.0 wt%
Sodium Benzoate	532-21-1	< 0.1 wt%
Water	7732-18-5	89 wt%

## 4. First Aid

### 4.1 Description of Aid Measures

General Advice:

Move effected personnel out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If Inhaled:

If breathed in move person into fresh air. Consult a physician.

In Case of Skin Contact:

Wash off with soap and plenty of water. Consult a physician in the event of persistent irritation.

In Case of Eye Contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If Swallowed:

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

The most important known acute symptoms and effects are described in sections 2 of this safety sheet.

### 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

No additional data available.

## 5. Fire Fighting Measures

### 5.1 Suitable Extinguishing Media

Use water fog or fine spray, alcohol resistant foam, dry chemical, or carbon dioxide.

### 5.2 Special Hazards Arising From the Substance or Mixture

This product is water based and will not normally burn. Dried residues resulting from intense heat and evaporation may burn releasing toxic gases/vapors/fumes of carbon oxides.

### 5.3 Advice for Firefighters

Wear self-contained breathing apparatus and full protective clothing.

### 5.4 Further Information

No additional information.

## 6. Accidental Release Measures

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment described in section 8 of this safety sheet. Ensure adequate ventilation to avoid breathing vapors when pouring this material or creating diluted solutions.

### 6.2 Environmental Precautions

If this product is released into the environment, take immediate steps to stop and contain the release. This material is soluble in water. Take adequate steps to avoid contamination of waterways. Notify downstream users of possible contamination should a release occur and notify local, state, and federal authorities as required.

### 6.3 Methods and Materials for Containment and Cleaning Up

Absorb in vermiculite, dry sand, or earth. Keep recovered material in a suitable closed container for disposal.

## 7. Handling and Storage

### 7.1 Precautions for Safe Handling

Avoid spillage or contact with skin and eyes. Provide adequate ventilation to avoid the formation and inhalation of vapors. Use personal protective equipment listed in section 8 of this safety sheet when mixing or handling this material.

### 7.2 Conditions for Safe Storage

Store in a dry and cool place, keep containers tightly closed. Do not use containers made of carbon or mild stainless steels. Protect against physical damage to containers. This product can be stored at temperatures between 1-49 °C (34-140 °F).

## 8. Exposure Controls/Personal Protection

### 8.1 Control Parameters

The following exposure limit values are suggested when handling this product.

Respirable Fraction: 10.0 mg/m<sup>3</sup> TWA (Time Weighted Average)

## 8.2 Appropriate Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Personnel handling this material should use appropriate safety goggles, clothing, and gloves. Wash hands before breaks and at the end of workday. Provide eye wash station, safety shower, as well as sufficient ventilation to prevent vapor formation.

## 8.3 Personal Protective Equipment

### Eye/Face Protection

When handling this product use safety glasses with side-shields conforming, tested, and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin Protection

Wear appropriate protective clothing to prevent exposure and skin contact. When handling this product use gloves made from nitrile rubber, neoprene, butyl rubber, viton, polyethylene, or PVC. Inspect gloves prior to use and use proper glove removal techniques to avoid skin contact. Work boots are appropriate for normal handling. Impervious apron, gloves, or gauntlets should be used when pouring or diluting this product. When pouring, diluting, or in the case of spills rubber overshoes are recommended. Properly discard contaminated gloves after use. Wash and dry hands.

### Respiratory Protection

Respiratory protection is not typically required under normal conditions. Where vapor and misting may occur use respirators and components tested and approved under appropriate government standards such as NIOSH (US). When vapor exposure is expected or encountered type R95, P95 (US) or type P1 (EU EN 143) particle respirators are suggested.

## 9. Physical and Chemical Properties

### 9.1 Information on Basic Physical and Chemical Properties

(a)	Physical State:	Liquid
(b)	Appearance:	Clear to Hazy Liquid
(c)	Odor:	Odorless
(d)	Odor Threshold:	No Data Available
(e)	pH:	pH 6-8
(f)	Melting/Freezing Point:	0 °C Water
(g)	Initial Boiling Point and Boiling Range:	100 °C Water
(h)	Flash Point:	No Data Available
(i)	Evaporation Rate:	< 1.0 Water
(j)	Flammability:	No Data Available
(k)	Upper/lower Flammability or Explosive Limits:	No Data Available
(l)	Vapor Pressure:	17 mm Hg (20 °C)
(m)	Vapor Density:	< 1.0 Water
(n)	Relative Density:	1.01 - 1.05 (g/mL)
(o)	Water Solubility:	Completely Soluble
(p)	Partition Coefficient: n-Octanol/Water	No Data Available

(q)	Auto-Ignition Temperature:	No Data Available
(r)	Decomposition Temperature:	No Data Available
(s)	Viscosity:	Similar to Water

## 10. Stability and Reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical Stability

Stable under normal temperature conditions when following recommended use.

### 10.3 Possibility of Hazardous Reactions

No data available.

### 10.4 Conditions to Avoid

Avoid high temperatures and moisture to protect the product quality.

### 10.5 Incompatible Materials

Avoid contact with strong oxidizers and strong acids.

### 10.6 Hazardous Decomposition Products

Thermal decomposition may produce aldehydes, ketones, and organic acids.

## 11. Toxicological Information

### 11.1 Likely Routes of Exposure

Ingestion, or eye contact.

### 11.2 Acute Toxicity

This product is harmful if ingested potentially causing stomach pain, vomiting, and discomfort if swallowed.

Testing of individual chemical components contained in this product have founds its ingredients to exhibit acute toxicity in the following ranges.

LD<sub>50</sub> (Oral) - Rat: 1900-5000 mg/kg

#### Skin Corrosion/Irritation

Contact between skin and this product may cause skin irritation depending on the concentration of the solution and the duration of exposure. Testing of individual chemical components contained in this product have not founds its ingredients to cause skin irritation with acute exposure. Prolonged or repeated exposure may however cause sensitization.

#### Serious Eye Damage/Irritation

Contact between the eyes and this product may cause permanent damage or irritation depending on the concentration and duration of exposure. Testing of individual chemical components contained in this product have founds its ingredients to cause eye irritation with acute exposure.

## Respiratory or Skin Sensitization

Prolonged or repeated exposure may cause allergic reactions in certain individuals. Direct inhalation of vapors may cause irritation depending on the concentration and duration of exposure.

### 11.3 Germ Cell Mutagenicity

No data available.

### 11.4 Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC, ACGIH, NTP, or OSHA.

### 11.5 Reproductive Toxicity

No data available.

### 11.6 Specific Target Organ Toxicity - Single Exposure

No data available.

### 11.7 Specific Target Organ Toxicity - Repeated Exposure

No data available.

### 11.8 Aspiration Hazard

No data available.

## 12. Ecological Information

### 12.1 Toxicity

This product is moderately toxic to aquatic organisms on an acute basis and may be harmful if released in sufficient concentrations. Testing of individual chemical components contained in this product have founds its ingredients to exhibit toxicity towards aquatic organisms in the following ranges.

#### Toxicity to Fish

LC<sub>50</sub> Pimephales Promelas (Fathead Minnow): >5 mg/L (96 hours)

#### Toxicity to Invertebrates

EC<sub>50</sub> Daphina Magna (Water Flea): >20 mg/L (48 hours)

### 12.2 Persistence and Degradability

Components of this product are readily biodegradable based on OECD testing of its component family of materials. The following results are typical of biodegradation for the component materials.

#### OECD Biodegradation Tests:

Biodegradation: >60%      Exposure Time: 28 days      Method: OECD301B

Biological Oxygen Demand (BOD):

BOD5: 17-30%

BOD10: 25-40%

BOD20: 23-51%

Chemical Oxygen Demand (COD):

COD: 1.70-2.20 mg/L

### **12.3 Bioaccumulative Potential**

No data available.

### **12.4 Mobility in Soil**

No data available.

### **12.5 Results of PBT and vPvB Assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Other Adverse Effects**

No data available.

## **13. Disposal Considerations**

### **13.1 Waste Disposal**

Spent Cleaning Solution

Spent cleaning solutions should be disposed of in accordance with local, state, and federal regulations governing individual users or sites.

Unused Product

Unused product should be disposed of at an approved waste treatment/disposal facility in accordance with applicable local, state, and federal regulations. Do not dispose of unused product through normal garbage or sewer systems.

Contaminated Containers

Treat contaminated containers in the same manner as unused product for the purpose of disposal.

## **14. Transportation Information**

### **14.1 DOT (US Department of Transportation)**

Not dangerous goods.

### **14.2 IMDG (International Maritime Dangerous Goods)**

Not dangerous goods.

### 14.3 IATA (International Air Transportation Association)

Not dangerous goods

## 15. Regulatory Information

### 15.1 US Federal Regulations

SARA 302 Components

This product does not contain chemical components subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This product does not contain chemical components that exceed the threshold reporting limits of SARA Title III, Section 313.

SARA 311/312 Hazard Category

Acute health hazard.

TSCA (US Toxic Substances Control Act)

All components of this product are listed on the TSCA inventory.

### 15.2 US State Regulations

California Proposition 65 Components

This product may contain trace amounts (< 20 mg/L) of 1,4-dioxane, a chemical known to the State of California to cause cancer.

Massachusetts Right to Know

1-4-Dioxane	CAS No: 123-91-1
-------------	------------------

New Jersey Right to Know

1-4-Dioxane	CAS No: 123-91-1
-------------	------------------

Sodium Benzoate	CAS No: 532-32-1
-----------------	------------------

Water	CAS No: 7732-18-5
-------	-------------------

Pennsylvania Right to Know

1-4-Dioxane	CAS No: 123-91-1
-------------	------------------

Sodium Benzoate	CAS No: 532-32-1
-----------------	------------------

Water	CAS No: 7732-18-5
-------	-------------------




**16. Other Information**

**16.1 Hazardous Material Information System (HMIS III)**

HEALTH	2	Moderate Hazard
FIRE	0	Minimal Hazard
PHYSICAL HAZARD	0	Minimal Hazard
PPE	B	Safety Glasses, Gloves, and Apron

**16.2 National Fire Protection Association (NFPA Standard 704)**



Health [1]: Moderate Hazard  
Fire [0]: Will Not Burn  
Reactivity [0]: Stable  
Special None

**16.3 Revision Information**

Product: TriClean 211  
Revision: 1  
Issue Date: 01-Jul-2019

**16.4 Further Information**

The information contained in this sheet is believed to be correct but does not purport to be all inclusive and should be used only as a guide. The information in this document is based on the present state of knowledge and relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. This information is, to the best of MICRODYN-NADIR US, Inc.'s knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee express or implied is made with respect to such information. Users should make their own investigations to determine the suitability of the information for their particular purposes.